




FOCUS ON WATER SAFETY EQUIPMENT



www.glasdon.com

GUARDIAN™ LIFEBUOY HOUSING

Every Glasdon Guardian™ lifebuoy housing has been designed to be both highly visible and resilient whilst protecting your important life-saving equipment. Our lifebuoy housings are ideal for any area in which large amounts of water pose a danger such as harbours, beaches, lakefronts, swimming pools, water treatment plants and roadside balancing ponds.



Guardian 750 Pole Mounted

How do Glasdon Lifebuoy Housings Protect Lifebuoys?

Manufactured with tough Durapol™ polymer, Guardian lifebuoy housings are designed with features that deter thieves and vandals, while protecting the life-saving equipment inside from UV rays which can degrade its material over time.

- ✓ **Inform** Highly visible and readily recognised in an emergency.
- ✓ **Protect** Against harmful UV degradation of equipment.
- ✓ **Guard** Help to deter thieves and vandals.
- ✓ **Allow quick & easy inspection** Durapol® Inspection indicator.


Design Features

- Ropemaster™ Quick Release Rope Management System saves valuable seconds for rescue attempts.
- Strong knuckle hinge and hinge rod resists corrosion and vandalism.
- Water seal minimises damage to rope & buoy from exposure to salt water.
- Simple graphical instructions inform the rescuer how the equipment should be used.
- Choice of three fixing methods - post-mounting, rail-mounting or wall-mounting.
- Post-mounting fixing available with either surface-mounting post or below-ground installation.
- Durapol® Inspection Indicator enables quick and easy inspection.
- Tough polyethylene lifebuoys (available as an option).



Housing Sizes

Guardian is available in a choice of 2 sizes, which allows the flexibility to house the most appropriate sized buoy to the risk area.



Download our Buyer's Guide for step-by-step help in specifying your Guardian order at www.glasdon.com



GUARDIAN™ 750 Housing
Holds two B-Line™ Water Rescue Devices OR one Lifebuoy (750mm or 600mm).



GUARDIAN™ 600 Housing
Holds two B-Line Water Rescue Devices OR one 600mm Lifebuoy.

Dimensions

750mm (30") Housing

Width: 898mm
Depth: 250mm
Height: 1065mm
Weight: 10.5kg
Height with Post: 1741mm

600mm (24") Housing

Width: 768mm
Depth: 250mm
Height: 925mm
Weight: 9.0kg
Height with Post: 1673mm



Guardian wall-mounted



Guardian rail-mounted




Guardian post-mounted



Guardian on existing pole

Ropemaster™ Rope Management System


The Guardian lifebuoy housing incorporates purpose designed Ropemaster, which allows the buoy and rope to be removed from the cabinet in one movement using only one hand. This quick release system could save valuable seconds during rescue attempts.



Allows rope to be wound tightly onto the device for compact storage.



Allows the buoy and rope to be removed in a single movement with one hand.



All Guardian™ Life Ring Cabinets come with essential instruction decals inside the cabinet to assist with the quick deployment of the life ring and throwing rope.



Indicator shows cabinet **HAS NOT** been opened.



Indicator shows cabinet **HAS** been opened.



Usage Indicator

The usage indicator allows for quick and easy inspection of the life ring cabinet, helping to minimise maintenance. This inspection aid is easy to reset after the housing has been opened.

Toggle Latch

Holds the lid securely closed but enables quick and easy access in an emergency.

OPTIONAL FEATURES

Lid Stay

Supports the lid whilst the housing is open for replacing the buoy & rope.

(Please note: this feature does not apply to rail or wall mounted housings.)



Inspection Window

Provides visual confirmation for the operator that the lifebuoy is in the housing.



Watch our **Water Safety** demonstration videos on YouTube.









Royal Life Saving Society UK (RLSS UK) and GoodSAM have partnered to develop a [Water Rescue Equipment Register and Life Saving Map](#). Help save lives by uploading a photo and the precise location of fixed water rescue equipment anywhere in the world so that others can find it in an emergency. www.rlss.org.uk/step-by-step-guide-to-registering-water-rescue-equipment



RLSS UK
WATER SAFETY
PARTNER
2026

GLASDON LIFEBUOYS

The Lifebuoy 600 and Lifebuoy 750 models can both be stored in the protective Glasdon Guardian™ Lifebuoy Housing.

Design Features

- Drop tested from over 30 metres.
- Manufactured in tough polyethylene, which offers durability in the most adverse of conditions.
- Supplied with yellow grab-line and class 1 retroreflective bands.
- Available in two models: 600 (24") and 750 (30").
- Lifebuoys are supplied with a 30m throwing rope (8mm diameter) as standard. Alternative ropes are available.
- The Lifebuoy 750 is UK certified for use on offshore vessels.

Dimensions

Lifebuoy 750

External Diameter: 710mm
Internal Diameter: 430mm
Weight: 2.5kg

Lifebuoy 600

External Diameter: 605mm
Internal Diameter: 405mm
Weight: 2.7kg

The Glasdon 750mm (30") diameter lifebuoy is fully compliant with Chapter III standards for life-saving devices, as per the Life-Saving Appliance (LSA) code (SOLAS, 1974).



Lifebuoy 750 supplied with a 30m throwing rope (8mm diameter) as standard.



Lifebuoy 600 supplied with a 30m throwing rope (8mm diameter) as standard.

OTHER PRODUCTS



Mini-Ensign™ Bollard



Slimline™ Storage Container

B-LINE™ WATER RESCUE DEVICE

The lightweight and streamlined design of B-Line means that it can be thrown further and more accurately to the victim, increasing the chances of a successful rescue. B-Line provides the victim with buoyancy, helping to reduce panic and allowing regular breathing to recommence. They can then be pulled safely ashore.




Quick & Simple To Use

- Easily thrown with accuracy.
- Buoyant and strong.
- Easy to re-throw.
- Re-usable.
- Soft nose reduces risk of injury to the victim.
- B-Line rescue device can be easily stored in a Guardian Lifebuoy Housing.

Dimensions

Length: 685mm
Diameter: 159mm
Weight: 1.3kg
Buoyancy: 4.14kg

Rope: 31m of 6mm diameter polypropylene floating rope. Breaking strain - 550kg



Watch our Water Safety demonstration videos on YouTube.



CUSTOMER-LED PROJECTS & PERSONALISATION

We offer a free, in-house personalisation service to help you visualise how your product will look with your company name, logo, special instructions, local emergency or identification details.

Please contact us to discuss your requirements.



We are proud that many of our products are made in Britain, head over to our website for more information.

@enquiries@glasdon-uk.co.uk

www.glasdon.com



EST. 1959



Glasdon Pledge to Reach
Net Zero
 By 2035
 Find out more...

As a Company with a commitment to continuously improving our environmental performance, we are pleased to announce that in 2021 we pledged to reach Net Zero by 2035 (with Scope 1 and 2* to be achieved by 2025).

*The Green House Gas Protocol Corporate Standard classifies a company's GHG emissions into three 'Scopes'. Scope 1 emissions are direct emissions from owned or controlled sources. Scope 2 emissions are indirect emissions from the generation of purchased energy.

If you would like to sign up to our e-newsletter, please click the "Sign up for our newsletter" button on our homepage or scan the QR Code.

